



Bamboo Technology & Innovation  
Germany since 1994

# OUTDOOR

Living nature with bamboo



[www.ambooo.com](http://www.ambooo.com)



Bamboo is an important source of raw materials and, due to its natural properties of fast re-growth, plays an exemplary role in areas such as the food industry, medicinal plants and construction in many areas of the world and is also a superb Co2 reservoir.

GS Götz Schmitt GmbH specialises in the development, procurement and distribution of bamboo.

GS Götz Schmitt GmbH stands for over 20 years sustainability in conjunction with innovative bamboo production technology!



aMbooo – Highland Bamboo Only stands for exclusive and high quality bamboo terraces and applications. aMbooo bamboo terraces – As green as it gets!

# aMboo

## DECKING BOARDS

---

# INDEX

<b>Company Info</b>	<b>01</b>
<b>Bamboo</b>	<b>03</b>
<b>Product Information</b>	<b>04</b>
<b>Decking Boards</b>	
<b>Primus</b>	<b>05</b>
<b>Select</b>	<b>07</b>
<b>Elegance</b>	<b>09</b>
<b>Santos</b>	<b>11</b>
<b>Prestige</b>	<b>13</b>
<b>Supreme</b>	<b>15</b>
<b>MEGA DECK</b>	<b>17</b>
<b>Bank/Step</b>	<b>19</b>
<b>Product Overview</b>	<b>21</b>
<b>Accessories</b>	<b>23</b>
<b>Care</b>	<b>25</b>



# aMbooo

---

## DECKING BOARDS

### Useful facts about bamboo:

- Bamboo grows faster than any other plant on earth.
- Bamboo generates 10-30% biomass yearly.
- Tropical bamboo species grow more than 1 metre in 24 hours.
- Bamboo has no thickness growth, stemming entirely from the ground
- Bamboo is used in the production of biodiesel.
- Bamboo is used to replace steel reinforced concrete in the building industry.
- Bamboo has been known for a long time as an unbeatable help against soil erosion.
- Bamboo derivatives are employed in car manufacturing and in other industrial products

### Reasons which make aMbooo bamboo decking so worthwhile :

- Harder than hardwood
- Extremely long-lasting
- Co2 neutral
- Exclusive look
- Warmth and natural radiance
- Thermally treated, high dimensional stability
- Very low absorption and contraction behaviour, no large joints
- No natural spiral grain, no knotholes
- Good UV and colour stability
- No fast greying as with wood
- Insusceptible to cigarette ash
- Frontal tongue and groove connection
- No visible screws on the decking board, since invisible fastening by means of side groove

### Manufacturing aMbooo decking boards from bamboo

The manufacturing of aMbooo decking boards is realised exclusively using bamboo shoots/culms from sustainably managed bamboo forests. Each culm must be at least 5 years old and harvested in the highlands. Only highland bamboo possesses sufficient strength to stand up to both our and your demands for modern and resistant decking boards. The culms are processed through thermo-mechanical technology. This process has been developed by us over decades and matched to the requirements of a premium product.



## Features and advantages of aMbooo decking boards and steps:

1



3



**Picture 1:** The number one for bamboo decking and accessories. No-one offers a wider range.

**Picture 2:** Elegant and water-resistant stainless steel clip, powder-coated satin black, a 4 cm clearance between decking boards suffices, the frontal V joint facilitates laying.

**Picture 3:** At GS Götz Schmitt GmbH you will find an enormous range of choice of colours and surfaces. With our bamboo decking boards you can realise your dream terrace, be it for private or commercial use.



### 100% Bamboo

As a basis we exclusively use highland bamboo, hard, fast re-growth and tree-free. As green as it gets!



### Simple laying

Frontal tongue + groove and longitudinal groove enable simple, safe and quick mounting.



### CO2- neutral

Up to 1 metre growth a day. A giant grass with best marks for ecology.



### System Decking

Tongue & Groove short, minimized material waste during installation



### Long-lasting

Our thermal treatment modifies the bamboo fibres thus increasing durability.



### Durable and hard

Almost as strong as steel and as long-lasting as tropical wood.



### Dimensionally stable

No natural spiral grain as with wood. Very low absorption and contraction behaviour.

# aMbooo

## DECKING BOARDS

# \*PRIMUS\*

One decking board with a choice of two designs



rough notched,  
fine-ribbed

With longitudinal groove and frontal  
tongue and groove connection

Attention: Natural colour differences are possible

**Material:** Bamboo  
**Size:** ca. 20 x 140 x 2200 mm  
**Colour:** coffee  
**Surface:** pre-oiled





Bamboo Technology & Innovation  
Germany since 1994

Catalogue  
**Primus**

# aMbooo

## DECKING BOARDS

### \*SELECT\*

One decking board with a choice of two designs



partly fine-ribbed,  
smooth

With longitudinal groove and frontal  
tongue and groove connection

Attention: Natural colour differences are possible

**Material:** Bamboo  
**Size:** ca. 20 x 140 x 2200 mm  
**Colour:** coffee  
**Surface:** pre-oiled







# aMbooo

## DECKING BOARDS

### \*ELEGANCE\*

One decking board with a choice of two designs



rough notched,  
fine-ribbed

With longitudinal groove and frontal  
tongue and groove connection

Attention: Natural colour differences are possible

**Material:** Bamboo  
**Size:** ca. 20 x 139 x 1870 mm  
**Colour:** espresso  
**Surface:** pre-oiled





Bamboo Technology & Innovation  
Germany since 1994



Catalogue  
**Elegance**

# aMbooo

## DECKING BOARDS

# \*SANTOS\*

One decking board with a choice of two designs



partly fine-ribbed,  
smooth

With longitudinal groove and frontal  
tongue and groove connection

Attention: Natural colour differences are possible

**Material:** Bamboo  
**Size:** ca. 20 x 139 x 1870 mm  
**Colour:** espresso  
**Surface:** pre-oiled





Bamboo Technology & Innovation  
Germany since 1994



Catalogue

**Santos**

# aMbooo

## DECKING BOARDS

### \*PRESTIGE\*

One decking board with a choice of two designs



rough notched,  
fine-ribbed

With longitudinal groove and frontal  
tongue and groove connection

Attention: Natural colour differences are possible

**Material:** Bamboo  
**Size:** ca. 20 x 200 x 2500 mm  
**Colour:** coffee  
**Surface:** pre-oiled





Catalogue  
**Prestige**

# aMbooo

## DECKING BOARDS

### \*SUPREME\*

One decking board with a choice of two designs



rough notched,  
fine-ribbed

With longitudinal groove and frontal  
tongue and groove connection

Attention: Natural colour differences are possible

**Material:** Bamboo  
**Size:** ca. 20 x 200 x 2500 mm  
**Colour:** coffee  
**Surface:** pre-oiled







Bamboo Technology & Innovation  
Germany since 1994

Catalogue  
**Supreme**

# aMbooo

## DECKING BOARDS

### \*MEGA DECK\*

One decking board with a choice of two designs

rough notched,  
fine-ribbed

Attention: Natural colour differences are possible

**Material:** Bamboo  
**Size:** ca. 30 x 300 x 950 mm  
**Colour:** coffee  
**Surface:** pre-oiled





Bamboo Technology & Innovation  
Germany since 1994



Catalogue  
**MEGA DECK**

# aMbooo

## DECKING BOARDS

### \*BANK / STEP\*

One decking board with a choice of two designs



rough notched,  
fine-ribbed

Attention: Natural colour differences are possible

**Material:** Bamboo  
**Size:** ca. 42 x 290 x 2200 mm  
**Colour:** coffee  
**Surface:** pre-oiled





**Catalogue**  
**Bank/Stufe**

# aMbooo

## DECKING BOARDS

### Terrassenübersicht



**aMbooo® Decking Boards**  
**Bamboo Primus**

20 x 140 x 2200 mm

Article Nr.: 65333 3202



**aMbooo® Decking Boards**  
**Bamboo Select**

20 x 140 x 2200 mm

Article Nr.: 65390 3202



**aMbooo® Decking Boards**  
**Bamboo Elegance**

20 x 139 x 1870 mm

Article Nr.: 65335 3202



**aMbooo® Decking Boards**  
**Bamboo Santos**

20 x 139 x 1870 mm

Article Nr.: 65325 3202

**aMbooo® Decking Boards**  
**Bamboo Prestige**

20 x 200 x 2500 mm

Article Nr.: 65350 3202



**aMbooo® Decking Boards**  
**Bamboo Supreme**

20 x 200 x 2500 mm

Article Nr.: 65351 3202



**aMbooo®**  
**MEGA DECK Bamboo**

30 x 300 x 950 mm

Article Nr.: 65363 3202



**aMbooo®**  
**Bank / Step Bamboo**

42 x 290 x 2200 mm

Article Nr.: 65342 3202





	Size (mm)	Profile					Colour		
		groove and tongue	rough notched	partly fine-ribbed	fine-ribbed	smooth	coffee	espresso	pre-oiled
<b>aMbooo® Decking Boards</b> <b>Bamboo Primus</b> Article Nr.: 65333 3202	20 x 140 x 2200								
<b>aMbooo® Decking Boards</b> <b>Bamboo Select</b> Article Nr.: 65390 3202	20 x 140 x 2200								
<b>aMbooo® Decking Boards</b> <b>Bamboo Elegance</b> Article Nr.: 65335 3202	20 x 139 x 1870								
<b>aMbooo® Decking Boards</b> <b>Bamboo Santos</b> Article Nr.: 65325 3202	20 x 139 x 1870								
<b>aMbooo® Decking Boards</b> <b>Bamboo Prestige</b> Article Nr.: 65350 3202	20 x 200 x 2500								
<b>aMbooo® Decking Boards</b> <b>Bamboo Supreme</b> Article Nr.: 65351 3202	20 x 200 x 2500								
<b>aMbooo®</b> <b>MEGA DECK Bamboo</b> Article Nr.: 65363 3202	30 x 300 x 950								
<b>aMbooo®</b> <b>Bank / Stufe Bamboo</b> Article Nr.: 65342 3202	42 x 290 x 2200								



# aMbooo

## DECKING BOARDS

### accessories

#### Montage:



#### Installation Clip Set - Marine- for aMbooo® Decking Boards

Content:  
100x marine steel Connection Clip 100x  
marine steel screw (Ø4,8x35mm), 1x Bit

Article Nr: 59024 0100

#### aMbooo® Support beam bamboo

40 x 60 x 2200 mm

for support structure out of bamboo  
Article Nr: 65276 3202



#### Installation Clip Set for aMbooo® Decking Boards

Content:  
25x stainless steel Starter clip ,  
25x stainless steel screw (Ø4,8x35mm),  
1x Torx Bit

Article Nr: 59024 0300

#### Terrace joint tape for aMbooo® Decking Boards

for 5-7 mm grooves, for aMbooo Ter-  
rassen / Roll 50 M

Content: 1x Roll

Article Nr: 50219 0003



#### Installation Clip Set for aMbooo® Decking Boards

Content:  
25x stainless steel End clip, 25x stainless  
steel screw (Ø4,8x35mm), 1x Torx bit

Article Nr: 59024 0301

#### Jigsaw Blade extra Clean Cut for aMbooo® Decking Boards

Content:  
3x Blade

Article Nr: 50219 0001



#### Installation Clip Set for aMbooo® Decking Boards

Content:  
5x Clip

20x = 1 m<sup>2</sup>

Article Nr: 59021 0000







## Care:



### **aMboo Special Maintenance Brush 9\" for aMboo® Decking Boards**

for cleaning and smoothing decking  
surfaces, ca. 30 cm

Article Nr: 50217 0000



### **aMboo Special Maintenance Brush for aMboo® Decking Boards (ca. 41 cm)**

for cleaning and smoothing bamboo  
and wood decking

Article Nr: 50218 0000



### **Handle for aMboo Maintenance Brush**

Content  
1x Handle

Article Nr: 50219 0000



### **aMboo® Maintenance Oil for aMboo® Decking Boards**

Usage: ca. 1 Liter per 8-10 m<sup>2</sup>

#### **Colour: coffee**

1,0 Liter Article Nr: 40004 6007  
2,5 Liter Article Nr: 40004 6025

#### **Colour: espresso**

1,0 Liter Article Nr: 40005 1007  
2,5 Liter Article Nr: 40005 1025

#### **Colour: silver - grey**

2,5 Liter Article Nr: 40004 8025

### **aMboo Cleaner for aMboo® Decking Boards**

Usage:  
ca. 1 Liter per 50 m<sup>2</sup>

Article Nr: 40069 0010



### **aMboo® Oil Applicator for aMboo® Decking Boards**

(ca. 23 cm)

Content:  
1x Applicator, 1x Sponge

Article Nr: 50181 0001



### **Oil Tray for aMboo® Decking Boards**

Content:  
1x Tray for Applicator

Article Nr: 50181 1003



### **aMboo® Replacement Sponge for aMboo® Decking Boards**

Content:  
1x Sponge

Article Nr: 50181 0002






## The right **CARE**

It is recommended that initial treatment be carried out with aMbooo Special Bamboo Care Oil as soon as the decking boards have been laid (please observe the instructions given by the manufacturer). Decking boards are subject to weather incidence, such as rain, sun, wind, ice and snow and may naturally change their form and appearance through the influence of these elements. Depending on the weather effect surfaces may become grey, rough and fissured. This aging process only underlines the natural quality of the materials employed.



It is recommended that at least one intensive cleaning with aMbooo Cleaner and a silicon carbide brush be carried out each year. In the event of light soiling it is possible to use a green care pad. Once cleaning has been completed after-care treatment with aMbooo Special Bamboo Care Oil is recommended. In this way the surfaces can maintain their original colouring for a longer period. When laying aMbooo decking boards in a pool area it is especially important that regular cleaning and care be carried out once the installation is completed.





GS-Catalogue Decking Boards Version 11/ 09.2017

**Your specialist dealer (Stamp)**